

MIG. I



OS IP TABLE


AVAILABLE IPs	IP PERFORMANCE	UNAVAILABLE IPs
IP-000	67%	
IP-001	67%	
		IP-002
		IP-003
		IP-004
		IP-005
		IP-006
		IP-007

FIG. 2



OS IP TABLE

AVAILABLE IPs	IP PERFORMANCE	UNAVAILABLE IPs
IP-000	100%	
IP-001	100%	
IP-002	100%	
IP-003	100%	
		IP-004
		IP-005
		IP-006
		IP-007









FIG. 5



NORMAL AUTHORIZATION KEY

PARAMETER	ATTRIBUTES
MODEL NUMBER	IX6601-41
SERIAL NUMBER	00001000
MAXIMUM PERFORMANCE	100%
MAXIMUM NUMBER OF IPs	1
IP IDENTIFIER	IP0

FIG. 7

OPTIONAL AUTHORIZATION KEY

PARAMETER	ATTRIBUTES
MODEL NUMBER	IX6601-41
SERIAL NUMBER	00001000
MAXIMUM PERFORMANCE	100%
MAXIMUM NUMBER OF IPs	Any 1
IP IDENTIFIER	N/A
EXPIRATION DATE	1-Jan-01
MAXIMUM TIME OF USE	10 DAYS

ENHANCED PERFORMANCE KEY

PARAMETER	ATTRIBUTES
MODEL NUMBER	IX6802-88
SERIAL NUMBER	00001002
MAXIMUM PERFORMANCE	100%
MAXIMUM NUMBER OF IPs	8
IP IDENTIFIER	N/A
EXPIRATION DATE	1-Jan-01
MAXIMUM TIME OF USE	10 DAYS

FIG. 9

OPTIONAL AUTHORIZATION KEY

PARAMETER	ATTRIBUTES
MODEL NUMBER	IX6802-84
SERIAL NUMBER	00001001
MAXIMUM PERFORMANCE	100%
MAXIMUM NUMBER OF IPs	Any 4
IP IDENTIFIER	N/A
EXPIRATION DATE	1-Jan-01
MAXIMUM TIME OF USE	10 DAYS

NORMAL AUTHORIZATION KEY

PARAMETER	ATTRIBUTES
MODEL NUMBER	IX6602-54
SERIAL NUMBER	00001002
MAXIMUM PERFORMANCE	67%
MAXIMUM NUMBER OF IPs	4
IP IDENTIFIER	IP0, IP2, IP4, IP6

FIG. 11

OPTIONAL AUTHORIZATION KEY

PARAMETER	ATTRIBUTES
MODEL NUMBER	IX6802-88
SERIAL NUMBER	00001002
MAXIMUM PERFORMANCE	100%
MAXIMUM NUMBER OF IPs	8
IP IDENTIFIER	N/A
EXPIRATION DATE	1-Jan-01
MAXIMUM TIME OF USE	10 DAYS





FIG. 13






FIG. 14B




FIG. 15




FIG. 16A





FIG. 16B






FIG. 17B